

12 Wall & Ceiling LED>The Interchangeable Reflectors Cylinders

12107R/W/W



7W AC LED cylinder, with a modern design, ideal for residential and commercial illumination.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Accessories



050106A/BS



050106A/W

Physical Specification



Item Group	12 Wall & Ceiling LED
Family	The Interchangeable Reflectors Cylinders
Order Code	12107R/W/W
Colour	White
Material	Aluminium
Shape	Circular

Height	80mm
Diameter	60mm
Surface Ceiling	Yes
Indoor	Yes


Electrical Characteristics

Gear	No
------	----

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	7W
IP Rating	IP20
Light Source	LED built in
Dimmable	Yes
Dimmer type	Triac
F Mark	

Illumination Data

Colour Temperature	3000K
Lumen Output	500lm
Light Efficiency	71,42lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	

Packing Info

Box Weight	0.204kg
------------	---------

Pcs/Carton

50

Barcode

5291889081678

HS Code

9405413990

Certification & Warranty

Warranty

5 years

switch to
one light!

one
LIGHT

